

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 117/119

20 01 2007

ISSN 1015-8235

Synonymical and distributional List of the species of Erzurum Province (North East Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Erzurum Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 117/119: 1-20.

This paper deals with the Lepidoptera species hitherto recorded in the Erzurum Province in the North East Turkey. Totally 777 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Erzurum Province

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Erzurum. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 777 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Blastodacna libanotica** (Diakonoff,1939) (*Agonoxenidae*) *libanotica* Diakonoff,1939 25 41
- 2) **Arctia (Eucharia) festiva** (Hufnagel,1766) (*Arctiidae*) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 3) **Arctia (s.str.) caja** (Linnaeus,1758) (*Arctiidae*) *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929. 05 08 14 25 32 58 60 61
- 4) **Axiopoea maura** (Eichwald,1830) (*Arctiidae*) *maura* Eichwald,1830; *fluvialis* Swinhoe,1885. 08 36 25 62
- 5) **Callimorpha dominula** (Linnaeus,1758) (*Arctiidae*) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. 04 08 14 16 25 30 36 43 73 75
- 6) **Chelis reticulata** (Christoph,1887) (*Arctiidae*) *reticulata* Christoph,1887 04 07 24 25 30 36 42 49 58 60 65
- 7) **Cymbalophora rivularis** (Ménétériés,1832) (*Arctiidae*) *rivularis* Ménétériés,1832; *dannehli* Dannehl,1929. 01 23 25 30 42 65 70
- 8) **Eilema complana** (Linnaeus,1758) (*Arctiidae*) *complanata* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. 05 06 14 16 25 34 36 46
- 9) **Eilema costalis** (Zeller,1847) (*Arctiidae*) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 10) **Eilema lurideola** (Zincken,1817) (*Arctiidae*) *lurideolum* Zincken,1817; *complanata* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852. 05 14 16 25 36 53 60
- 11) **Eilema lutarella** (Linnaeus,1758) (*Arctiidae*) *lutarella* Linnaeus,1758; *luteola* [Denis & Schiffermüller],1775; *alboflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 *nec* Fabr.,1775 25
- 12) **Eilema palliatella** (Scopoli,1763) (*Arctiidae*) *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866. 06 10 12 14 25 45 60 62 71
- 13) **Eilema pseudocomplana** (Daniel,1939) (*Arctiidae*) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62
- 14) **Euplagia quadripunctaria** (Poda,1761) (*Arctiidae*) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. 01 05 07 08 09 14 16 25 29 33 35 45 46 52 53 62 65
- 15) **Lacydes spectabilis** (Tauscher,1806) (*Arctiidae*) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4; [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Priamus 11 (5), 11 (6), et seq.

- 16) **Ocnogyna (Somatotrichia) anatolica** Witt, 1980 (Arctiidae) *anatolica* Witt, 1980 04 24 25 49 65
- 17) **Ocnogyna (s.str.) armena** Staudinger, 1871 (Arctiidae) *armena* Staudinger, 1871 25
- 18) **Paidia (Conjuncta) conjuncta** (Staudinger, 1892) (Arctiidae) *conjuncta* Staudinger, 1892 08 25 30 47 58 63 73
- 19) **Setina aurata** (Ménétriés, 1832) (Arctiidae) *aurata* Ménétriés, 1832; *#pontica* Draudt, 1933; *pontica* Schwingenschuss, 1939 06 08 25 36 53
- 20) **Setina flavicans** (Geyer, [1836]) (Arctiidae) *flavicans* Geyer, [1836] 05 25 53
- 21) **Spiris striata** (Linnaeus, 1758) (Arctiidae) *striata* Linnaeus, 1758; *grammica* Linnaeus, 1758; *funerea* Eversmann, 1847; *strandi* Obratsov, 1936; *slovenica* Daniel, 1939; *wisniewskii* Wojtusiak & Niesielowski, 1946; *hospitali* Marten, 1948. 05 06 08 10 14 16 25 26 28 45 60 66 69
- 22) **Tyria jacobaeae** (Linnaeus, 1758) (Arctiidae) *jacobaeae* Linnaeus, 1758; *senecionis* Godart, 1823; *confluens* Schultz, 1908. 04 05 06 07 16 19 25 30 36 48 65 71
- 23) **Watsonarctia deserta** (Bartel, 1902) (Arctiidae) *casta* Esper, [1784] *nec* Pall., 1771; *deserta* Bartel, 1902; *sibirica* Kozhantschikov, 1924; *callesi* Gomez-Bustillo, 1979; *esperii* Koçak, 1980. 24 25 36 38 60 66
- 24) **Aglais urticae** (Linnaeus, 1758) (Argynnididae) *urticae* Linnaeus, 1758; *opima* Verity, 1919; *variegata* Querci, 1932; *strandi* Verity, 1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 25) **Argynnis (Fabriciana) adippe** (Rottemburg, 1775) (Argynnididae) *cydippe* Linnaeus, 1761 (*rejected*); *berecynthia* Poda, 1761 (*rejected*); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 26) **Argynnis (Fabriciana) niobe** (Linnaeus, 1758) (Argynnididae) *niobe* Linnaeus, 1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 27) **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller], 1775) (Argynnididae) *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 *nec* Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Schwarda, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 28) **Argynnis (Speyeria) aglaja** (Linnaeus, 1758) (Argynnididae) *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 *nec* Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 *nec* Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 29) **Argynnis (s.str.) paphia** (Linnaeus, 1758) (Argynnididae) *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 30) **Boloria (Clossiana) euphrosyne** (Linnaeus, 1758) (Argynnididae) *euphrosyne* Linnaeus, 1758; *argenticollis* Retzius, 1783; *finjal* Herbst, 1800; *densoi* Fruhstorfer, 1909; *apennina* Fruhstorfer, 1916; *cynosoma* Fruhstorfer, 1916; *nestonclara* Verity, 1932; *eminens* Verity, 1932; *varianana* Verity, 1932; *austremiens* Verity, 1950, etc. 01 03 05 06 08 14 16 18 22 25 26 29 30 36 37 43 52 57 60 61 66 74 78 81
- 31) **Boloria (s.str.) graeca** (Staudinger, 1870) (Argynnididae) *graeca* Staudinger, 1870 25 76
- 32) **Brenthis daphne** (Bergsträßer, 1780) (Argynnididae) *daphne* Bergsträßer, 1780; *chloris* Esper, 1778 *nec* Fabricius, 1775; *epidaphne* Fruhstorfer, 1907; *nikator* Fruhstorfer, 1909; *tenuitermaculosa* Verity, 1922; *syriaca* Belter, 1935; *anatolica* Belter, 1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 33) **Brenthis hecate** ([Denis & Schiffermüller], 1775) (Argynnididae) *hecate* [Denis & Schiffermüller], 1775; *harmothoe* Fruhstorfer, 1917; *florida* Verity, 1919; *stricta* Verity, 1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 34) **Brenthis ino** (Rottemburg, 1775) (Argynnididae) *ino* Rottemburg, 1775; *dictynna* [Denis & Schiff.], 1775; *parthenie* Bergsträßer, 1780; *flavomaculatus* Retzius, 1783; *adula*, *tergesta*, *eporedia* Fruhst., 1910; *pyrenaica* Sagarra, 1925; *asiaepallens* Verity, 1933; *sesquierilda* Verity, 1957. 24 25 36 39 60 69 76
- 35) **Cynthia cardui** (Linnaeus, 1758) (Argynnididae) *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 36) **Euphydryas (Eurodryas) aurinia** (Rottemburg, 1775) (Argynnididae) *aurinia* Rottemburg, 1775; *artemis* [Denis & Schiffermüller], 1775; *lye* Bergsträßer, [1779]; *koloswarensis* Piller & Mitterpacher, 1783; *scotica* Robson, 1880; *signifera* Kane, 1893; *anglicana* Fruhstorfer, 1917; *acedia* Fruhstorfer, 1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 37) **Inachis io** (Linnaeus, 1758) (Argynnididae) *io* Linnaeus, 1758; *ioides* Ochsenheimer, 1808; *caucasica* Jachontov, 1911. 05 06 08 10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 78 81
- 38) **Issoria lathonia** (Linnaeus, 1758) (Argynnididae) *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 39) **Limenitis (Azuritis) reducta** Staudinger, 1901 (Argynnididae) *reducta* Staudinger, 1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 40) **Melitaea (Cinclidia) (phoebe) phoebe** (Goeze, 1779) (Argynnididae) *#phoebe* [Denis & Schiffermüller], 1775; *phoebe* Goeze, 1779; *paedotropos* Bergsträßer, [1780]; *tremulae* Piller & Mitterpacher, 1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 41) **Melitaea (Cinclidia) (phoebe) punica** Oberthür, 1876 (Argynnididae) *punica* Oberthür, 1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 42) **Melitaea (Didymaeformis) didyma** (Esper, [1779]) (Argynnididae) *didyma* Esper, [1779]; *armoricana* Oberthür, 1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 43) **Melitaea (Didymaeformis) fascelis** (Fabricius, 1787) (Argynnididae) *#trivia* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 (*praec.*); *#fascelis* Esper, 1783; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 44) **Melitaea (Didymaeformis) interrupta** Kolenati, 1846 (Argynnididae) *interrupta* Kolenati, 1846; *#transcaucasica* Turati, 1919; *caucasi* Verity, 1922; *venosata* Niesiolowsky, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969. 08 25 29 53 61 75
- 45) **Melitaea (Didymaeformis) persea** Kollar, [1849] (Argynnididae) *persea* Kollar, [1849]; *caucasica* Stgr., 1861; *magnacasta*, *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *causasicola* Bryk, 1940; *hafiz*, *gina* Higgins, 1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert, 1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 46) **Melitaea (s.str.) arduinna** (Fabricius, 1787) (Argynnididae) *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844. 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 47) **Melitaea (s.str.) cinxia** (Linnaeus, 1758) (Argynnididae) *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80

- 48) **Melitaea (s.str.) diamina (Lang,1789)** (Argynnididae) *dictynna* Esper,1778 nec [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnobscura* Verity,1931. 08 25 29 75
- 49) **Mellicta athalia (Rottemburg,1775)** (Argynnididae) *athalia* Rottemburg,1775; *eos* Rossi,1803 nec Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *viduidor* Gouin,1922; *subluciflua* Verity,1935; *mixtiaceladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 50) **Mellicta aurelia (Nickerl,1850)** (Argynnididae) *parthenie* Borkhausen,1788 nec Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. 05 08 25 53 69 75 76
- 51) **Neptis (s.str.) rivularis (Scopoli,1763)** (Argynnididae) *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; *#tolunay* Koçak & Kemal,2000. 25 36 75 76
- 52) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 53) **Nymphalis vaualbum ([Denis & Schiffermüller],1775)** (Argynnididae) *#vaualbum* [Denis & Schiffermüller],1775; *l-album* Esper,[1781] 08 25
- 54) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 55) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 56) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 57) **Thaleropsis ionia (Eversmann,1851)** (Argynnididae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 58) **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewicz* Schille,1896; *#klimene* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 59) **Coleophora ammophora (Falkovitsh,1989)** (Coleophoridae) *ammophora* Falkovitsh,1989 06 25 58
- 60) **Coleophora obtectella Zeller,1849** (Coleophoridae) *obtectella* Zeller,1849 04 06 13 25 29 42 50 53 58
- 61) **Coleophora onopordiella Zeller,1849** (Coleophoridae) *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003 05 06 23 25 33 38 42 44 45 50 51 58 71
- 62) **Coleophora phrygiae Baldizzone,1994** (Coleophoridae) *phrygiae* Baldizzone,1994 03 06 25 38 42 58
- 63) **Coleophora serpyllatorum Hering,1889** (Coleophoridae) *serpyllatorum* Hering,1889; *assisti* Nemes,2003 06 14 25 33 38 42 50 58
- 64) **Coleophora subula (Falkovitsh,1993)** (Coleophoridae) *subula* Falkovitsh,1993 25 76
- 65) **Cossulinus lignosus (Brandt,1938)** (Cossidae) *lignosus* Brandt,1938 04 12 25 30 36 42 46 49 50 58 68 69
- 66) **Cossus cossus (Linnaeus,1758)** (Cossidae) *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 67) **Isoceras bipunctatum (Staudinger,1887)** (Cossidae) *bipunctatum* Staudinger,1887 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73
- 68) **Isoceras huberi Eitschberger & Ströhle,1987** (Cossidae) *huberi* Eitschberger & Ströhle,1987 25
- 69) **Phragmacossia albida (Erschoff,1874)** (Cossidae) *albida* Erschoff,1874 05 24 25 30 33 35 36 38 46 58 71
- 70) **Semagystia cuhensis De Freina,1994** (Cossidae) *cuhensis* De Freina,1994 25 65
- 71) **Dysauxes famula (Freyer,1836)** (Ctenuchidae) *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 72) **Dysauxes punctata (Fabricius,1781)** (Ctenuchidae) *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876 01 17 25 42 55 75
- 73) **Chionodes distinctella (Zeller,1839)** (Gelechiidae) *distinctella* Zeller,1839; *striolattella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. 06 13 16 24 25 38 76
- 74) **Aplocera columbata (Metzner,1845)** (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
- 75) **Epirrhoe molluginata (Hübner,[1813])** (Geometridae) *molluginata* Hübner,[1813] 25
- 76) **Eupithecia fuscicostata Christoph,1887** (Geometridae) *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988 04 07 25 30 60
- 77) **Eupithecia graphata (Treitschke,1828)** (Geometridae) *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] 05 06 25 76
- 78) **Eupithecia limbata Staudinger,1879** (Geometridae) *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973 05 25 30 42 76
- 79) **Eupithecia satyrata (Hübner,[1813])** (Geometridae) *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973 25
- 80) **Gnophos (Cnecstroglyphos) anthina Wehrli,1953** (Geometridae) *anthina* Wehrli,1953 25
- 81) **Idaea admiranda Hausmann,2004** (Geometridae) *#litigiosaria* Okyar & Aktaş,1999 nec Bsd.,1840; *admiranda* Hausmann,2004 01 22 25 39 59 63
- 82) **Idaea ruficostata Zeller,1847** (Geometridae) *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852. 08 17 25 29 53
- 83) **Lomasipilis opis (Butler,1878)** (Geometridae) *opis* Butler,1878 08 25 36 65
- 84) **Perizoma bifaciata (Haworth,1809)** (Geometridae) *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *#bifaciata* Haworth,[1828]; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870 25 30 42
- 85) **Pydna badiaria (Freyer,[1841])** (Geometridae) *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. 05 06 25 29 30 38 42 44 46 50 51 58 65 71
- 86) **Rhodostrophia auctata (Staudinger,1879)** (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 87) **Scopula immistaria (Herrich-Schäffer,[1852])** (Geometridae) *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852] 06 23 24 25 30 46 47 58 65 76
- 88) **Scopula incanata (Linnaeus,1758)** (Geometridae) *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 05 08 16 25 29 30 36 53 76
- 89) **Scopula orientalis (Alpheraky,1876)** (Geometridae) *orientalis* Alpheraky,1876 08 25 36 50
- 90) **Scopula tessellaria (Boisduval,1840)** (Geometridae) *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955 14 25 69

- 91) **Scotopteryx alpherakii** (Erschoff,1877) (Geometridae) *alpherakii* Erschoff,1877 08 25 69
- 92) **Synopsia sociaria** (Hübner,[1799]) (Geometridae) *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 14 16 17 25 33 34 42 65
- 93) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 94) **Carcharodus (Reverdinus) flocciferus** (Zeller,1847) (Hesperiidae) *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. 08 25 30 36 53 65 69 71 75 76
- 95) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 96) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 97) **Eogenes alcides** Herrich-Schäffer,[1852] (Hesperiidae) *alcides* Herrich-Schäffer,[1852] 05 08 20 23 24 25 30 35 36 42 50 56 60 62 65 66
- 98) **Erynnis (Hesperopegus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 99) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottentburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 100) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 101) **Muschampia poggei** (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 102) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *lycaonius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 103) **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 104) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 105) **Pyrgus alveus** (Hübner,[1803]) (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 106) **Pyrgus armoricanus** (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 107) **Pyrgus cinarae** (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 108) **Pyrgus cirsii** (Rambur,[1839]) (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. 08 13 24 25 36 65 69 75 76
- 109) **Pyrgus jupei** (Alberti,1967) (Hesperiidae) *jupei* Alberti,1967; *centralasiae* Renner,1991. 08 25 29 53 75
- 110) **Pyrgus melotis** (Duponchel,[1834]) (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 111) **Pyrgus serratulae** (Rambur,[1839]) (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallia* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 112) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 113) **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 114) **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 115) **Thymelicus acteon** (Rottentburg,1775) (Hesperiidae) *acteon* Rottentburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 116) **Thymelicus hyrax** (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 117) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 118) **Thymelicus novus** (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916 04 05 13 21 23 25 30 46 47 56 62 65 73
- 119) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünlich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 120) **Dendrolimus pini** (Linnaeus,1758) (Lasiocampidae) *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959 05 06 08 14 17 19 25 36 46 53 60 61 62
- 121) **Eriogaster lanestris** (Linnaeus,1758) (Lasiocampidae) *lanestris* Linnaeus,1758; *senecta* Graeser,1888 14 22 25 36
- 122) **Eriogaster rimicola** (Schränk,1802) (Lasiocampidae) *rimicola* [Denis & Schiffermüller],1775; *rimicola* Schränk,1802 06 13 24 25 33 71
- 123) **Lasiocampa eversmanni** (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 124) **Lasiocampa quercus** (Linnaeus,1758) (Lasiocampidae) *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *scula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 08 16 25 36 41 43 60 67
- 125) **Malacosoma castrensis** (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71

- 126) **Malacosoma neustrium** (Linnaeus,1758) (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 127) **Malacosoma paralellum** Staudinger,1887 (Lasiocampidae) *paralellum* Staudinger,1887 04 24 25 36 58
- 128) **Phyllodesma tremulifolium** (Hübner,[1810]) (Lasiocampidae) *betulifolium* Ochsenheimer,1810 nec Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 129) **Poecilocampa alpina** (Frey & Wulschlegel,1874) (Lasiocampidae) *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999. 04 06 24 25
- 130) **Lemonia balcanica** Herrich-Schäffer,[1843] (Lemoniidae) *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931. 08 25 33 36 42 60
- 131) **Lemonia ballioni** (Christoph,1888) (Lemoniidae) *ballioni* Christoph,1888 01 04 05 13 23 25 44 46 50 56 58 70
- 132) **Lemonia pia** Püngeler,1902 (Lemoniidae) *pia* Püngeler,1902 01 04 07 21 25 30 36 44 46 56 58 73 76
- 133) **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 134) **Callophrys chalybeitincta** Sovinsky,1905 (Lycaenidae) *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914. 08 25 69 75
- 135) **Callophrys paulae** Pfeiffer,1932 (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965 24 25 30 38 46 50 51 60 62 65 69 70 73 75
- 136) **Callophrys rubi** (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 137) **Callophrys suaveola** (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881 04 13 25 30 36 58 65 73
- 138) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 139) **Chilades (Freyeria) trochylus** (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 140) **Cupido (Everes) argiades** (Pallas,1771) (Lycaenidae) *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 nec Poda,1761; *irenae* Dujardin,1974. 03 05 06 08 11 14 16 17 25 29 34 37 41 53 60 61 75 81
- 141) **Cupido (s.str.) minimus** (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 142) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 143) **Glaucopsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775]; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 144) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 145) **Heodes (s.str.) virgaureae** (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 146) **Iolana lessei** Bernardi,1964 (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 147) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 148) **Lycaena (s.str.) phlaeas** (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 149) **Maculinea arion** (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 nec Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 150) **Maculinea nausithous** (Bergsträßer,[1779]) (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 nec Dru.,1773; *erebus* Knoch,1782. 04 08 24 25 36 69 75 76
- 151) **Maculinea rebeli** (Hirschke,1904) (Lycaenidae) *rebeli* Hirschke,1904; *coerulea* Vorbrod,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. 08 18 24 25 29 36 37 60 65 69 74 76
- 152) **Margelycaena euphratica** (Eckweiler,1989) (Lycaenidae) *euphratica* Eckweiler,1989 02 12 13 25 30 49 65 73
- 153) **Palaeochrysopterus candens** (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 154) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryptilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 155) **Plebejus (Lycaeides) argyrognomon** (Bergsträßer,[1779]) (Lycaenidae) *argyrognomon* Bergsträßer,[1779] 08 25 61 69 75
- 156) **Plebejus (Lycaeides) idas** (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 157) **Plebejus (Plebejides) modicus** Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 158) **Plebejus (s.str.) argus** (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilomene* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 159) **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval,1840) (Lycaenidae) *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003 04 05 08 13 16 24 25 29 38 51 53 58 60 65 69 76
- 160) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 161) **Polyommatus (Albulina (Vacciniina)) alcedo** (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76

- 162) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron* Rottemburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 163) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 164) **Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)** (Lycaenidae) *teberdinus* Sheljuzhko,1934 25
- 165) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 166) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 167) **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) *artaxerxes* Fabricius,1793. 03 06 08 14 18 25 29 32 36 45 60 61 65 69 75
- 168) **Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer,[1851])** (Lycaenidae) *atys* Gerhard,[May,1851] *nec* *atys* Hübner,1804 *non* Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851]. 05 06 25 60 66
- 169) **Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997)** (Lycaenidae) *artvinensis* Carbonell,1997 08 25
- 170) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 171) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 172) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 173) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 174) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) *eriwanensis* Forster,1960 08 24 25 36 58 62 65 69 75 76
- 175) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 176) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) *antidolus* Rebel,1901 04 12 13 25 30 62 65 76
- 177) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) *#hopferi* Herrich-Schäffer,[August,1851] (*uninominal*); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851); *hadjina* Heyne,[1895]; *malatiae* Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 178) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 179) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) *mithridates* Staudinger,1878 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 180) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892. 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 181) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri* Forster,1956 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 182) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 183) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae) *tankeri* De Lesse,1960 04 25 36 69 76
- 184) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis* De Lesse,1957 04 08 13 24 25 30 36 62 65 69 76
- 185) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) anticarmon (Koçak,1983)** (Lycaenidae) *anticarmon* Koçak,1983; *charmieuxi* Pagès,1994 13 25 30 65
- 186) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) aserbeidschanus (Forster,1956)** (Lycaenidae) *aserbeidschana* Forster,1956 08 25 29 36 69
- 187) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) eurytilos (Gerhard,[1851])** (Lycaenidae) *eurytilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 188) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) huberti (Carbonell,1993)** (Lycaenidae) *huberti* Carbonell,1993 04 08 13 24 25 29 30 36 65 69 76
- 189) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) ninae (Forster,1956)** (Lycaenidae) *ninae* Forster,1956 04 08 13 24 25 29 30 36 65 69 76
- 190) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus* Koçak,1977 04 08 13 24 25 29 30 36 62 65 69 76
- 191) **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956. 25 36 65 76
- 192) **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins,1991** (Lycaenidae) *merhaba* De Prins,1991 08 25
- 193) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer,[1844])** (Lycaenidae) *damocles* Herrich-Schäffer,[1844] 25 65
- 194) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon* [Denis & Schiffermüller],1775 04 08 24 25 29 36 69 75 76
- 195) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 196) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 197) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius* Herrich-Schäffer,[1852] 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 198) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76

- 199) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 200) **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *diana Miller,[1913]* 04 25 29 36 69 76
- 201) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 202) **Polyommatus (s.str. (Plebicula)) dorylas (Denis & Schiffermüller,[1775])** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985.* 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 203) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 204) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius Freyer,[1850]; cornelia Gerhard,[1851]; candalus Herrich-Schäffer,[1851]; zuleikae Pfeiffer,1932; eberti Koçak,1979; subtilis Pages & Charmeux,1992.* 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 205) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919.* 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 206) **Polyommatus (s.str.) forsteri (Pfeiffer,1938)** (Lycaenidae) *forsteri Pfeiffer,1938* 08 24 25 29 69
- 207) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 208) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 209) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus Linnaeus,1758* 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 210) **Satyrrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardi Wiltshire,1943; elta Higgins,1964.* 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 211) **Satyrrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) *acaciae Fabricius,1787; nostras Courvoisier,1913; guichardi Higgins,1965.* 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 212) **Satyrrium (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum Rebel,1901* 04 08 13 24 25 30 36 49 62 65 69 76
- 213) **Satyrrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis Esper,[1779]* 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 214) **Satyrrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 215) **Scolitantides orion (Pallas,1771)** (Lycaenidae) *orion Pallas,1771; battus Denis & Schiffermüller,1775; telephii Esper,1779; sedi Fabricius,1781; hecateus Drapiez,1819; metioche Fruhstorfer,1910; lariana Fruhstorfer,1910; micrometioche Verity,1943.* 05 06 07 08 16 25 27 33 34
- 216) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 217) **Thecla betulae (Linnaeus,1758)** (Lycaenidae) *betulae Linnaeus,1758; apelles De Villers,1789; spinosae Gerhard,[1850].* 08 14 25 34 39
- 218) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiera Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 219) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].* 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 220) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 221) **Thersamonia (s.str.) lampon (Lederer,1870)** (Lycaenidae) *lampon Lederer,1870* 13 25 30 65
- 222) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.* 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 223) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis Klug,1834.* 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 224) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion Freyer,[1850]* 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 225) **Dicallomera fascelina (Linnaeus,1758)** (Lymantriidae) *fascelina Linnaeus,1758; medicaginis Hübner,[1803]; danieli De Freina,1979.* 24 25 36
- 226) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 227) **Euproctis similis (Fuessly,1775)** (Lymantriidae) *similis Fuessly,1775; rebeli Habermayer,1902.* 05 12 16 25 30 45 53
- 228) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoequisti Bryk,1942; variabilis Bryk,1949* 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 229) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926* 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 230) **Parocneria detrita (Esper,[1785])** (Lymantriidae) *detrita Esper,[1785]; orientalis Schwingenschuss,1939; orientis Daniel,1963* 06 10 12 14 25 31 42 46 60
- 231) **Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) *clerkella Linnaeus,1758; penicilla Borkhausen,1794; cerasifoliella Hübner,1796; malifoliella Hübner,1796; malella Schrank,1802; autumnella Curtis,1829; unipunctella Stephens,1829; semiaurella Stephens,1829; nivella Stephens,1829; aereella Treitschke,1833; phrynella Costa,[1836]; fonscolombella Duponchel,[1840]; magnimaculella Bruand,1859* 08 24 25 36 76
- 232) **Abrostola agnorista Dufay,1956** (Noctuidae) *agnorista Dufay,1956* 06 08 25
- 233) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) *clarissa Staudinger,1900* 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66

- 234) *Abrostola tripartita* (Hufnagel,1766) (Noctuidae) *tripartita* Hufnagel,1766; *trigemina* Werneburg,1864. 06 08 24 25 28 34 50 61 75
- 235) *Abrostola triplasia* (Linnaeus,1758) (Noctuidae) *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. 04 05 08 13 16 18 25 31 36 37 38 39 53 75
- 236) *Acronicta* (Subacronicta) *megacephala* (Fabricius,1787) (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 237) *Acronicta* (Triana) *aceris* (Linnaeus,1758) (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 238) *Acronicta* (Triana) *psi* (Linnaeus,1758) (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 239) *Acronicta* (Viminia) *euphorbiae* (Denis,1785) (Noctuidae) *euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 240) *Acronicta* (Viminia) *rumicis* (Linnaeus,1758) (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 241) *Actinotia radiosa* (Esper,[1804]) (Noctuidae) *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*) 05 18 25 30 36 60 67
- 242) *Aedophron phlebotapha* Lederer,1858 (Noctuidae) *phlebotapha* Lederer,1858 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 243) *Aedophron rhodites* (Eversmann,1851) (Noctuidae) *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. 05 06 18 25 36 42 50 51 58 60 62 66
- 244) *Agrochola* (Alpichola) *egorovi* (O.Bang-Haas,1934) (Noctuidae) *egorovi* O.Bang-Haas,1934 01 04 12 25 30 36 44 46 56 58 60 65 69 73
- 245) *Agrochola* (Alpichola) *janhillmanni* Hacker & Moberg,1989 (Noctuidae) *janhillmanni* Hacker & Moberg,1989 04 08 12 13 25 30 36 49 62
- 246) *Agrochola* (Alpichola) *lactiflora* (Draudt,1934) (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 247) *Agrochola* (Anchoscelis) *lota* (Clerck,1759) (Noctuidae) *lota* Clerck,1759 13 24 25 58 60 64
- 248) *Agrochola* (Anchoscelis) *luteogrisea* (W.Warren,1911) (Noctuidae) *luteogrisea* W.Warren,1911 05 25 50 60 70
- 249) *Agrotis* (Crassagrotis) *bigramma* (Esper,[1790]) (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 250) *Agrotis* (Crassagrotis) *obesa* (Boisduval,1829) (Noctuidae) *obesa* Boisduval,1840 01 06 08 18 20 25 46 50 58 62 63 65 71
- 251) *Agrotis* (s.str.) *clavis* (Hufnagel,1766) (Noctuidae) *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902. 08 18 25 28 36 39 53 61
- 252) *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 253) *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 254) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 255) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 256) *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933. 05 06 08 18 25 33 38 42 46 50 51 52 58 63
- 257) *Allophyes asiatica* (Staudinger,1892) (Noctuidae) *asiatica* Staudinger,1892 02 05 06 13 14 24 25 42 56 58 64 66
- 258) *Allophyes metaxys* Boursin,1953 (Noctuidae) *metaxys* Boursin,1953 08 25 31 36 46 58
- 259) *Ammoconia senex* (Geyer,[1828]) (Noctuidae) *senex* Geyer,[1828]. 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 260) *Amphipoea oclea* (Linnaeus,1761) (Noctuidae) *oclea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918. 08 25 36 37 61 65
- 261) *Amphipyra micans* Lederer,1857 (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 262) *Amphipyra stix* Herrich-Schäffer,[1850] (Noctuidae) *stix* Herrich-Schäffer,[1850]; *styx* Staudinger,1879. 01 05 08 15 25 30 32 36 42 50 62 65
- 263) *Antholopha gloriosa* (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933. 01 06 25 27 31 36 44 46 47 58 60 62 63 64
- 264) *Antitype jonis* (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 265) *Apamea anceps* ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66
- 266) *Apamea ferrago* (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 267) *Apamea furva* ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65
- 268) *Apamea lateritia* (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. 04 08 16 24 25 30 36 51 58 61 65 75
- 269) *Apamea leucodon* (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 270) *Apamea lithoxylaea* (Fabricius,1787) (Noctuidae) *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787. 01 04 05 06 07 08 16 20 25 30 36
- 271) *Apamea monoglypha* (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 272) *Apamea platinea* (Treitschke,1825) (Noctuidae) *platinea* Treitschke,1825; *grisea* Touloukoff,1951 *nec* Staudinger,1889; *touloukoffi* Koçak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76
- 273) *Apamea remissa* (Hübner,[1809]) (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 274) *Apamea sordens* (Hufnagel,1766) (Noctuidae) *sordens* Hufnagel,1766 10 14 18 24 25 60 75
- 275) *Apamea sublustris* (Esper,[1788]) (Noctuidae) *sublustris* Esper,[1788] 04 08 25 36 50
- 276) *Apamea syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 277) *Argyrospila succinea* (Esper,[1798]) (Noctuidae) *succinea* Esper,[1798] 04 13 25 42
- 278) *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75

- 279) **Autographa aemula** ([Denis & Schiffermüller],1775) (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69 75
- 280) **Autographa gamma** (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 281) **Autographa jota** (Linnaeus,1758) (Noctuidae) *jota* Linnaeus,1758 06 08 14 18 25 36 39 50 52 53 75
- 282) **Autophila** (Cheirophanes) **ligaminosa** (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. 05 06 08 13 14 17 18 25 33 36 42 46 50 65 73
- 283) **Autophila** (s.str.) **asiatica** (Staudinger,1888) (Noctuidae) *asiatica* Staudinger,1888 01 25 30 33 35 36 38 49 50 58
- 284) **Autophila** (s.str.) **banghaasi** Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 285) **Autophila** (s.str.) **einsleri** Amsel,1935 (Noctuidae) *luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939. 01 06 23 25 31 46
- 286) **Autophila** (s.str.) **limbata** (Staudinger,1871) (Noctuidae) *limbata* Staudinger,1871 05 07 08 09 13 18 25 50 58 73
- 287) **Basistriga flammata** ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 288) **Behounekia freyeri** (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18 25 30 32 35 36 38 42 46 47 50 51 62 65
- 289) **Brachylochia uralensis** (Warren,1910) (Noctuidae) *uralensis* Warren,1910 25 58 62
- 290) **Brandtina albonigra** Bytinski-Salz & Brandt,1937 (Noctuidae) *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967 04 25 30 65
- 291) **Calamia staudingeri** Warnecke,1941 (Noctuidae) *staudingeri* Warnecke,1941 04 25 30 36 38 51 58 65
- 292) **Calophasia lunula** (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14 18 24 25 30 33 36 42 49 50 51 58 65
- 293) **Caradrina** (Boursinidrina) **rjabovi** (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 04 13 25 36 44 46 58 62 65
- 294) **Caradrina** (Eremodrina) **gilva** (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58
- 295) **Caradrina** (Eremodrina) **inumbata** (Staudinger,1900) (Noctuidae) *inumbata* Staudinger,1900; *inumbatella* Pinker,1980 01 04 08 25 36 44 46 58 62 65
- 296) **Caradrina** (Eremodrina) **pertinax** (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 297) **Caradrina** (Eremodrina) **vicina** (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06 08 25 33 36 42 46 50 51 58
- 298) **Caradrina** (Paradrina) **clavipalpis** (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovollans* Pinker,1974; *pinkeri* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 299) **Caradrina** (Paradrina) **poecila** (Boursin,1939) (Noctuidae) *poecila* Boursin,1939 01 04 08 12 24 25 30 32 38 49 50 58 60 65 69 73
- 300) **Caradrina** (Paradrina) **wulschlegeli** (Püngeler,1903) (Noctuidae) *wulschlegeli* Püngeler,1903 06 07 08 12 14 18 24 25 30 35 37 42 43 49 50 51 58 60 62 65 66 80
- 301) **Caradrina** (Platyperigea) **albina** (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 302) **Caradrina** (Platyperigea) **montana** (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 04 25 36 42 50 51 58 65
- 303) **Caradrina** (Platyperigea) **terrea** (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12 13 18 23 25 30 36 42 50 51 65 66
- 304) **Caradrina** (s.str.) **morpheus** (Hufnagel,1766) (Noctuidae) *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938] 06 14 25 34 50 54 58 75
- 305) **Catocala** (s.str.) **conversa** (Esper,1783) (Noctuidae) *conversa* Esper,[1787] 01 06 07 08 11 16 17 22 25 27 30 33 35 42 45 51
- 306) **Catocala** (s.str.) **fraxini** (Linnaeus,1758) (Noctuidae) *fraxini* Linnaeus,1758 06 14 24 25 75
- 307) **Catocala** (s.str.) **lupina** Herrich-Schäffer,[1851] (Noctuidae) *lupina* Herrich-Schäffer,[1851] 01 06 08 18 25 50 51 58 62 65
- 308) **Catocala** (s.str.) **puerpera** (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelleus* Hübner,[1809]; *romana* Schultz,1909 01 05 06 08 16 18 19 25 33 42 50 51 58 65
- 309) **Celaena haworthii** (Curtis,1829) (Noctuidae) *haworthii* Curtis,1829 25
- 310) **Cerapteryx graminis** (Linnaeus,1758) (Noctuidae) *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. 08 25 75
- 311) **Cerapteryx megalis** (Alpheraky,1882) (Noctuidae) *megalis* Alpheraky,1882. 04 08 25 65 75
- 312) **Chazaria incarnata** (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24 25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 313) **Chersotis alpestris** (Boisduval,[1837]) (Noctuidae) *alpestris* Boisduval,[1837] 04 12 25 29 36 42 51 58 65
- 314) **Chersotis anatolica** (Draudt,1936) (Noctuidae) *anatolica* Draudt,1936; *elegantula* Boursin,1945. 04 24 25 36 42 50 51 58 60 65
- 315) **Chersotis anderegii** (Boisduval,[1837]) (Noctuidae) *anderegii* Boisduval,[1837] 04 08 25 36
- 316) **Chersotis capnistis** (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902. 01 03 06 08 18 25 29 32 36 38 42 43 46 50 51 58 60 65 66
- 317) **Chersotis fimbriola** (Esper,[1798]) (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 318) **Chersotis firdussi** Schwingenschuss,1937 (Noctuidae) *firdussi* Schwingenschuss,1937 25 65
- 319) **Chersotis friedeli** Pinker,1974 (Noctuidae) *friedeli* Pinker,1974 06 25 42 50 58 63
- 320) **Chersotis glebosa** (Staudinger,1900) (Noctuidae) *glebosa* Staudinger,1900 04 12 25 29 30 38 46 58 60 65 69
- 321) **Chersotis gratissima** (Corti,1932) (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 322) **Chersotis illautia** (Draudt,1936) (Noctuidae) *illautia* Draudt,1936 04 12 25 42 46 50 51 65 70
- 323) **Chersotis juvenis** (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 324) **Chersotis laeta** (Rebel,1904) (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 325) **Chersotis larixia** (Guenée,1852) (Noctuidae) *larixia* Guenée,1852. 04 12 25 30 38 50 51 58 65 69
- 326) **Chersotis margaritacea** (Villers,1789) (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espuensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 327) **Chersotis multangula** (Hübner,[1803]) (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66

- 328) *Chersotis rectangula* (Fabricius,1787) (Noctuidae) *rectangula* Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49 60 66 75
- 329) *Chersotis semna* (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 330) *Chersotis stenographa* Varga,1979 (Noctuidae) *stenographa* Varga,1979 13 25 58 65
- 331) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 332) *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. 01 05 06 12 25 33 35 36 44 49 70
- 333) *Cleonymia* (Serryvania) *opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 334) *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 335) *Coenophila miniago* (Freyer,[1839]) (Noctuidae) *miniago* Freyer,[1839] 05 25
- 336) *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 337) *Cryphia* (Bryoleuca) *petricolor* (Lederer,1870) (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937. 04 08 18 25 29 36 58 75
- 338) *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 339) *Cryphia* (Bryoleuca) *seladona* (Christoph,1885) (Noctuidae) *seladona* Christoph,1885 01 06 16 25 51 58 61 66 76
- 340) *Cryphia* (Bryoleuca) *tephrocharis* Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 341) *Cryphia* (Bryoleuca) *thamanea* (Hampson,1908) (Noctuidae) *thamanea* Hampson,1908 25 51 58 65
- 342) *Cryphia* (Bryophila) *maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 343) *Cryphia* (Bryopsis) *amasina* (Draudt,1931) (Noctuidae) *amasina* Draudt,1931 01 05 06 08 12 18 25 42 62 65
- 344) *Cryphia* (Bryopsis) *muralis* (Forster,1771) (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]. 05 06 16 25 42 75
- 345) *Cryphia* (Euthales) *algae* (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 346) *Cucullia* (Shargacucullia) *barthae* Boursin,1933 (Noctuidae) *barthae* Boursin,1933 04 06 08 18 25 32 33 42 46 47 50 60 65
- 347) *Cucullia* (Shargacucullia) *lanceolata* (Villers,1789) (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 348) *Cucullia* (Shargacucullia) *lychnitis* (Rambur,1833) (Noctuidae) *lychnitis* Rambur,1833 04 05 06 14 18 24 25 35 45 58 65
- 349) *Cucullia* (s.str.) *absinthii* (Linnaeus,1761) (Noctuidae) *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857 04 25 58
- 350) *Cucullia* (s.str.) *argentina* (Fabricius,1787) (Noctuidae) *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* Wagner,1931 *nec* Leech,1900; *anatoliensis* Koçak,1980. 05 06 18 25 27 30 36 38 42 50 58 65 71
- 351) *Cucullia* (s.str.) *behouneki* Hacker & Ronkay,1988 (Noctuidae) *behouneki* Hacker & Ronkay,1988 04 08 24 25 28 30 36 58 60 65 66 75
- 352) *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813]) (Noctuidae) *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. 25 36 69 75
- 353) *Cucullia* (s.str.) *lucifuga* (Hübner,[1803]) (Noctuidae) *lucifuga* Hübner,[1803]. 25 36 42 69 75
- 354) *Cucullia* (s.str.) *ronkayi* Hacker & Pinker,1987 (Noctuidae) *ronkayi* Hacker & Pinker,1987 04 25 36 49 65
- 355) *Cucullia* (s.str.) *santonici* (Hübner,[1813]) (Noctuidae) *santonici* Hübner,[1813] 04 06 18 25 36 42 58
- 356) *Cucullia* (s.str.) *umbratica* (Linnaeus,1758) (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18 25 36 42 46 58 60 65 75
- 357) *Cyrebis anachoreta* (Herrich-Schäffer,[1851]) (Noctuidae) *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987 05 08 25 36 51 53 65 69
- 358) *Dasypolia* (s.str.) *templi* (Thunberg,1792) (Noctuidae) *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909. 01 06 04 08 25 42 49 58
- 359) *Desertoplusia bella* (Christoph,1887) (Noctuidae) *bella* Christoph,1887 04 12 25 30 50 65
- 360) *Desertoplusia colornata* Varga & L.Ronkay,1991 (Noctuidae) *bella* auct. *nec* Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colomata* Hacker,1992 04 07 25 30 65 73
- 361) *Diachrysia chrysitis* (Linnaeus,1758) (Noctuidae) *chrysitis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75
- 362) *Diarsia florida* (Schmidt,1859) (Noctuidae) *florida* Schmidt,1859 04 25 65
- 363) *Dichagyris* (Grisvigoga) *candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 364) *Dichagyris* (Yigoga) *celsicola* (Bellier,1858) (Noctuidae) *celsicola* Bellier,1858 04 08 12 13 23 25 30 36 46 50 58 65
- 365) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65 66
- 366) *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 367) *Dichagyris* (Yigoga) *gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 368) *Dichagyris* (Yigoga) *nachadira* (Brandt,1941) (Noctuidae) *nachadira* Brandt,1941 06 25 36 38 42 50 58 65
- 369) *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888) (Noctuidae) *nigrescens* Hofner,1888 01 05 06 07 18 20 25 30 32 33 42 45 46 50 65 66
- 370) *Dichagyris* (Yigoga) *romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990. 04 13 23 25 30 32 38 42 50 51 58 63 66 76
- 371) *Dichagyris* (Yigoga) *signifera* ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 372) *Dichagyris* (Yigoga) *sincera* (De Freina & Hacker,1985) (Noctuidae) *sincera* De Freina & Hacker,1985. 04 08 12 13 23 25 30 36 46 50 58 65 73
- 373) *Dichagyris* (Yigoga) *soror* Fibiger,1997 (Noctuidae) *soror* Fibiger,1997 25
- 374) *Dichagyris* (Yigoga) *truculenta* (Lederer,1853) (Noctuidae) *truculenta* Lederer,1853 04 25 38 46 50 51 58 62 65 69
- 375) *Dichagyris* (s.str.) *amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04 05 08 18 23 25 27 42 46 50 58 62 65 69
- 376) *Dichagyris* (s.str.) *armeniaca* Kozhantshikov,1929 (Noctuidae) *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929. 04 06 25 30 36 50 66

- 377) *Dichagyris (s.str.) erubescens (Staudinger,1892)* (Noctuidae) *erubescens Staudinger,1892* 01 06 24 25 27 33 42 44 46 47 51 58 63
- 378) *Dichagyris (s.str.) forficula (Eversmann,1851)* (Noctuidae) *forficula Eversmann,1851* 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 379) *Dichagyris (s.str.) leucomelas Brandt,1941* (Noctuidae) *leucomelas Brandt,1941* 25 30 58 65
- 380) *Dichagyris (s.str.) melanura (Kollar,1846)* (Noctuidae) *melanura Kollar,1846* 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 381) *Dichagyris (s.str.) renigera (Hübner,[1808])* (Noctuidae) *renigera Hübner,[1808]; dumosa Donzel,1837; caucasica Staudinger,1877; funebris Staudinger,1892; nigrescens Kitt,1925 nec Höfner,1888; funestissima Bubacek,1926; argentina Caradja,1930.* 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 382) *Dichagyris (s.str.) squalidior (Staudinger,1901)* (Noctuidae) *squalidior Staudinger,1901* 01 03 08 12 23 25 30 42 44 46 50 58 65 75
- 383) *Dichagyris (s.str.) squalorum (Eversmann,1856)* (Noctuidae) *squalorum Eversmann,1856* 01 02 04 12 23 24 25 30 36 44 50 51 58 65 69
- 384) *Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)* (Noctuidae) *terminicincta Corti & Draudt,1933; maraschi Corti & Draudt,1933.* 02 04 12 13 25 30 36 44 46 51 58 65 69
- 385) *Dichagyris (s.str.) vallesiaca (Boisduval,[1837])* (Noctuidae) *vallesiaca Boisduval,[1837]* 25 36 50 58 65 66
- 386) *Diloba caeruleocephala (Linnaeus,1758)* (Noctuidae) *caeruleocephala Linnaeus,1758* 05 06 16 22 24 25 31 46 50 63 64 70
- 387) *Drasteria cailino (Lefèbvre,1827)* (Noctuidae) *cailino Lefèbvre,1827* 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 388) *Drasteria caucasica (Kolenati,1846)* (Noctuidae) *caucasica Kolenati,1846; astrida Eversmann,1856; aksuensis Fuchs,1903.* 23 24 25 30 42 44 50 51 58 65
- 389) *Drasteria saisani (Staudinger,1882)* (Noctuidae) *saisani Staudinger,1882; clara Staudinger,1895; #zaisani John,1910.* 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 390) *Dypterygia scabriuscula (Linnaeus,1758)* (Noctuidae) *scabriuscula Linnaeus,1758; pinastri Linnaeus,1761.* 05 06 08 14 25 39 61
- 391) *Eicomorpha antiqua Staudinger,1888* (Noctuidae) *antiqua Staudinger,1888.* 04 25 49
- 392) *Eicomorpha kurdestanica De Freina & Hacker,1985* (Noctuidae) *kurdestanica De Freina & Hacker,1985* 12 25 30 73
- 393) *Episema amasina (Hampson,1906)* (Noctuidae) *amasina Hampson,1906* 05 06 18 42 25 36 47 49 50 58 60 65
- 394) *Episema didymogramma (Boursin,1955)* (Noctuidae) *didymogramma Boursin,1955* 04 21 25 36 46 58 63
- 395) *Episema glaucina (Esper,[1789])* (Noctuidae) *glaucina Esper,[1789]; dentimacula Hübner,1790; unicolor Duponchel,1835; hispana Boisduval,[1837]; meridionalis Calberla,1888; abruzzorum Dannehl,1929.* 04 05 25 75
- 396) *Episema lederi Christoph,1885* (Noctuidae) *lederi Christoph,1885; sareptana Alpheraky,1897; #ledereri Wiltshire,1937.* 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 397) *Eremobia asiatica Draudt,1936* (Noctuidae) *asiatica Draudt,1936* 03 05 06 17 25 30 32 36 42 51 58 65
- 398) *Eriopygodes imbecilla (Fabricius,1794)* (Noctuidae) *imbecilla Fabricius,1794; alpina Hübner,1793; aliena Hübner,[1808]; disparilis Ochsenheimer,1816.* 04 25 36 75
- 399) *Eublemma (Glossodice) polygramma (Duponchel,[1842])* (Noctuidae) *polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; pudorina Staudinger,1889; violetta Staudinger,1889.* 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 400) *Eublemma (albida-gr.) gratissima (Staudinger,1892)* (Noctuidae) *gratissima Staudinger,1892; infuscata Staudinger,1892; peralpa Schawerda,1923.* 01 05 07 08 23 24 25 30 40 46 47 50 58 62 65
- 401) *Eublemma (candidana-gr.) aureola Fibiger & Hacker,2002* (Noctuidae) *aureola Fibiger & Hacker,2002* 04 08 13 24 25 29 44 47 50 58 65 73
- 402) *Eublemma (candidana-gr.) minutata (Fabricius,1794)* (Noctuidae) *minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809].* 08 18 24 25 42 46 50 60
- 403) *Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)* (Noctuidae) *wagneri Herrich-Schäffer,1851* 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 404) *Eublemma (chlorotica-gr.) chlorotica (Lederer,1858)* (Noctuidae) *chlorotica Lederer,1858* 06 23 25 27 42 46 50 51 63
- 405) *Eublemma (pallidula-gr.) pallidula (Herrich-Schäffer,1856)* (Noctuidae) *pallidula Herrich-Schäffer,1856* 01 05 12 13 23 24 25 30 42 44 47 50 51 58 62 65 66
- 406) *Eublemma (parva-gr.) parva (Hübner,[1808])* (Noctuidae) *parva Hübner,[1808]; rubefacta Mabille,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902.* 01 05 07 08 16 25 33 46 47 50 56 58 63 80
- 407) *Eublemma (rosina-gr.) amoena (Hübner,[1803])* (Noctuidae) *respersa Hübner,1790; amoena Hübner,[1803]; bithynica Bethune-Baker,1888.* 01 04 05 14 16 18 25 42 45 50 51 58 65 69
- 408) *Eublemma (rosina-gr.) panonica (Freyer,1840)* (Noctuidae) *panonica Freyer,1840* 07 08 23 25 58 65
- 409) *Eublemma (rosina-gr.) parallela (Freyer,1842)* (Noctuidae) *parallela Freyer,1842; concinnula Herrich-Schäffer,1851; #densata Warren,1912.* 01 05 08 25 29 30 36 38 46 50 51 58 60 65 66
- 410) *Eublemma (rosina-gr.) rosina (Hübner,[1803])* (Noctuidae) *rosea Hübner,1790 nec Fourcroy,1785; rosina Hübner,[1803]; decolorata Wagner,1913; sinuata Schwingenschuss,1938.* 05 16 25 39 42 45 50 58
- 411) *Eublemma pannonica (Freyer,1840)* (Noctuidae) *panonica Freyer,1840; kindermannii Boisduval,1840.* 05 07 08 13 23 25 36 42 46 58
- 412) *Euchalcia (s.str.) armeniae Dufay,1966* (Noctuidae) *armeniae Dufay,1966; #armeninae Hacker,1986.* 25 36 61 65 69 75
- 413) *Euchalcia (s.str.) biezankoi (Alberti,1965)* (Noctuidae) *biezankoi Alberti,1965; #bienzankoi Hacker,[1987].* 25 30 65
- 414) *Euchalcia (s.str.) emichi (Rogenhofer,1873)* (Noctuidae) *emichi Rogenhofer,1873* 01 08 18 19 25 30 31 36 38 42 46 49 50 51 58 62 65 66
- 415) *Euchalcia (s.str.) siderifera (Eversmann,1846)* (Noctuidae) *siderifera Eversmann,1846* 04 25 29 30 46 65
- 416) *Euchalcia (s.str.) taurica (Osthelder,1933)* (Noctuidae) *taurica Osthelder,1933* 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 417) *Euchalcia (s.str.) viridis (Staudinger,1901)* (Noctuidae) *viridis Staudinger,1901* 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 418) *Euclidia glyphica (Linnaeus,1758)* (Noctuidae) *glyphica Linnaeus,1758; pratensis Müller,1764* 01 05 06 11 12 14 16 19 25 30 37 39 54 58 61 65 67
- 419) *Eugnorisma (Metagnorisma) heuristica Varga & Ronkay,1987* (Noctuidae) *heuristica Varga & Ronkay,1987* 25
- 420) *Eugnorisma (Metagnorisma) pontica (Staudinger,1892)* (Noctuidae) *pontica Staudinger,1892* 05 06 08 12 18 23 25 30 33 50 62 65 66
- 421) *Eugnorisma (s.str.) chaldaica (Boisduval,1840)* (Noctuidae) *chaldaica Boisduval,1840* 01 06 25 42 50 51 58 60 65
- 422) *Eugnorisma (s.str.) eminens (Lederer,1855)* (Noctuidae) *eminens Lederer,1855* 25 36 65
- 423) *Eugnorisma (s.str.) insignata (Lederer,1853)* (Noctuidae) *insignata Lederer,1853; intermedia Eversmann,1855.* 01 25 30 36 42 46 58 65
- 424) *Eugnorisma (s.str.) leuconeura (Hampson,1918)* (Noctuidae) *leuconeura Hampson,1918; fuliginosa Draudt,1936.* 12 25 36 50 65
- 425) *Eulocastra diaphora (Staudinger,1879)* (Noctuidae) *diaphora Staudinger,1879; triangularis Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898.* 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 426) *Eurois occulta (Linnaeus,1758)* (Noctuidae) *occulta Linnaeus,1758; implicata Lefebvre,1836; extricata Zetterstedt,[1839]; prolixa Zetterstedt,[1839]; puncticosa Zetterstedt,[1839]; roseovirgata Dannehl,1929; fumea Corti & Draudt,1933; tibetica Corti & Draudt,1933* 08 25 36
- 427) *Euxoa (Orosagrotis) difficillima (Draudt,1937)* (Noctuidae) *difficillima Draudt,1937* 04 12 25 30 36 38 51 63 65
- 428) *Euxoa (Orosagrotis) foeda (Lederer,1855)* (Noctuidae) *foeda Lederer,1855; enitens Corti,1926; marmorosa Corti,1927; vanensis Draudt,1937.* 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75

- 429) **Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) *inclusa Corti,1931* 04 12 24 25 30 38 51 60 65 69
- 430) **Euxoa (Pleonectopoda) rjabovi (Kozhantshikov,1929)** (Noctuidae) *rjabovi Kozhantshikov,1929; inclusa Corti,1931* 04 08 25 38 51 60 65 76
- 431) **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *aquilina [Denis & Schiffermüller],1775; fictilis Hübner,[1813]; unicolor Hübner,[1813]; petrina Mayer,1937.* 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 432) **Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) *birivia [Denis & Schiffermüller],1775; honnoratina Donzel,1837; cuprina Staudinger,1900; sudeticola Skala,1929; caucasica Spuler,1908; flavisignata Corti,1932.* 04 06 08 18 24 25 28 30 36 44 46 53 58
- 433) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) *conspicua Hübner,[1824]; agricola Boisduval,1829; abdita Joannis,1891; #indistincta Strand,1915; osthelderi Corti,1931; complicata Corti,1931.* 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 434) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) *cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabilie,1885; crimaea A.Bang-Haas,1906; mesopotamica A.Bang-Haas,1912; rubra Corti,1933.* 01 05 06 08 14 18 25 27 36 42 50 51 58 62 65 66 71
- 435) **Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) *decora [Denis & Schiffermüller],1775* 04 08 25 30 58 65 73
- 436) **Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) *distinguenda Lederer,1857.* 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 437) **Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) *glabella Wagner,1930* 01 03 06 08 14 25 42 46 50 51 70
- 438) **Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) *hastifera Donzel,1837; proleuca Hampson,1903; pomazensis Kovacs,1952; hungarica Kovacs,1952.* 01 04 25 42 49 62 65 70
- 439) **Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) *heringi Christoph,1877; marcens Staudinger,1893; signata Staudinger,1900; achyricola Corti,1931.* 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 440) **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) *homicida Staudinger,1900; #homicia Hacker & Kautt,1999.* 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 441) **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) *nigricans Linnaeus,1761; fumosa [Denis & Schiffermüller],1775; rubricans Esper,[1788]; dubia Haworth,1809; vilis, fuliginea Hübner,[1813]; carbonea Hübner,[1823]; ursina Godart,1825; rustica Eversmann,1842; oppidicola Krulikowsky,1907.* 03 05 08 12 14 18 25 31 36 42 50 51 58 65 71
- 442) **Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) *tritici sensu auct. nec Linn.,1761; nigrofusca Esper,[1788].* 01 04 05 18 25 36 42 50 58 60
- 443) **Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) *scurrilis Draudt,1937* 01 12 24 25 30 36 42 50 51 58 65
- 444) **Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) *segnilis Duponchel,1836; seliginis Duponchel,1836; siliginis Guenée,1852; #huebneroides Boursin,1940; adriatica Fiori,1957.* 03 06 19 23 25 29 42 50 51 58 59 62 65 68
- 445) **Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) *sulcifera Christoph,1893* 04 08 12 25 30 42 62 65 69 76
- 446) **Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) *temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; hemispherica Hampson,1903; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937.* 01 05 06 25 33 42 46 50 58 59 60 65 70 71
- 447) **Gortyna cervago Eversmann,1844** (Noctuidae) *cervago Eversmann,1844; #argillago Draudt,1936.* 04 06 25 36 44 58 62 65 69
- 448) **Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) *flavago [Denis & Schiffermüller],1775* 08 14 25 46 65
- 449) **Gortyna hethitica Hacker,Kuhna & Gross,1986** (Noctuidae) *hethitica Hacker,Kuhna & Gross,1986* 04 25 50 60 75
- 450) **Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) *osmana Hacker & Kuhna,1986* 04 13 25 36 62 65 75
- 451) **Hada persa (Alpheraky,1897)** (Noctuidae) *persa Alpheraky,1897* 25 65
- 452) **Hada plebeja (Linnaeus,1761)** (Noctuidae) *plebeja Linnaeus,1761; nana Hufnagel,1766; dentina [Denis & Schiff.],1775; leucostigma Hw.,1809; odontides Bsd.,1829; latenai Pierret,1837; hilaris Zetterstedt,[1839]; reducta Rbl. & Zerny,[1932]; littoralis, gredensis,nevadensis,hawelkae Schawerda,1938.* 06 08 16 18 25 36 38 42 49 50 60 75
- 453) **Hadena (Anepia) esperi Hacker,1992** (Noctuidae) *esperi Hacker,1992* 04 25 70
- 454) **Hadena (Anepia) musculina (Staudinger,1892)** (Noctuidae) *musculina Staudinger,1892; mayeri Wagner,1931.* 04 12 25 30 36 42 44 46 50 51 58 60 73
- 455) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) *perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nesus Germar,[1842]; repanda Herrich-Schäffer,[1850].* 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 456) **Hadena (Anepia) silenes (Hübner,[1822])** (Noctuidae) *silenes Hübner,[1822]; sejuncta Herrich-Schäffer,[1850].* 01 02 06 18 21 25 31 33 34 38 46 47 50 63
- 457) **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) *syriaca Osthelder,1933; osthelderi Draudt,1933.* 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 458) **Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) *roseocandida Hacker,1996* 01 04 06 12 22 23 25 30 36 42 46 50 58
- 459) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila Staudinger,1879* 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 460) **Hadena (Pinkerica) cappadocia Hacker,1987** (Noctuidae) *cappadocia Hacker,1987* 06 12 13 25 30 40 50 51 58 62 65 66
- 461) **Hadena (Pinkerica) tephroleuca (Boisduval,1833)** (Noctuidae) *tephroleuca Boisduval,1833* 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 462) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) *albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820].* 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 463) **Hadena (s.str.(Albimaculia)) cavalla Pinker,1980** (Noctuidae) *cavalla Pinker,1980* 04 24 25 30 46 49 50 58 60 65
- 464) **Hadena (s.str.(Albimaculia)) defreinae Hacker, Kuhna & Gross,1986** (Noctuidae) *defreinae Hacker, Kuhna & Gross,1986* 04 24 25 65 75
- 465) **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) *gueneei Staudinger,1901; guenei Hampson,1905* 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 466) **Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) *humilis Christoph,1893; stenoptera Rebel,1933.* 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 467) **Hadena (s.str.(Anatolidena)) danilewskyi Hacker,1996** (Noctuidae) *danilewskyi Hacker,1996* 25
- 468) **Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934)** (Noctuidae) *pfeifferi Draudt,1934* 25 30 65 69
- 469) **Hadena (s.str.(Anatolidena)) staudingeri (Wagner,1931)** (Noctuidae) *staudingeri Wagner,1931* 06 08 18 24 25 30 36 40 42 50 51 58 65 66
- 470) **Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) *clara Staudinger,1901; hyrcana Draudt,1933; transiens Draudt,1938.* 04 07 08 12 24 25 30 42 50 51 58 65 69
- 471) **Hadena (s.str.(Clarhadena)) drenowski (Rebel,1930)** (Noctuidae) *drenowski Rebel,1930.* 01 04 08 12 25 30 33 36 40 42 50 51 58
- 472) **Hadena (s.str.(Clarhadena)) pseudoclara Hacker,1996** (Noctuidae) *pseudoclara Hacker,1996* 04 13 24 25 44 46 51 58 60 65
- 473) **Hadena (s.str.(Clarhadena)) subhyrcana Hacker,1996** (Noctuidae) *subhyrcana Hacker,1996* 13 30 24 25 49 58 65 73
- 474) **Hadena (s.str.(Dianthocia)) impressa (Esper,[1790])** (Noctuidae) *#capsincola [Denis & Schiffermüller],1775; impressa Esper,[1790].* 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65

- 475) **Hadena (s.str.(Filograna)) filograna (Esper,[1788])** (Noctuidae) *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. 05 06 08 25 33 36 50 51 60 65
- 476) **Hadena (s.str.(Hadenobilis)) albertii Hacker,1996** (Noctuidae) *albertii* Hacker,1996 04 08 24 25 29 36 58 69 75
- 477) **Hadena (s.str.(Hadenobilis)) chrysographa Hacker,1996** (Noctuidae) *chrysographa* Hacker,1996 04 08 25 29 36 65 75
- 478) **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) *melanochoa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 479) **Hadena (s.str.(Hadenobilis)) perpetua Hacker,1996** (Noctuidae) *perpetua* Hacker,1996 25
- 480) **Hadena (s.str.(Hadenobilis)) tristis (Draudt,1934)** (Noctuidae) *tristis* Draudt,1934 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75
- 481) **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 482) **Hadena (s.str.(Luteocincta)) persimilis Hacker,1996** (Noctuidae) *persimilis* Hacker,1996 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 483) **Hadena (s.str.(Luteocincta)) wehrlii (Draudt,1934)** (Noctuidae) *wehrlii* Draudt,1934 08 18 24 25 29 33 36 50 58 65
- 484) **Hadena (s.str.(Magnifica)) magnifica Hacker,1996** (Noctuidae) *magnifica* Hacker,1996 25 30 73
- 485) **Hadena (s.str.(Magnoliheadena)) magnolii (Boisduval,1828)** (Noctuidae) *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 486) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 487) **Hadena (s.str.(Montanohadena)) fibigeri Hacker,1996** (Noctuidae) *fibigeri* Hacker,1996 04 08 13 24 25 30 38 50 51 58 65 69
- 488) **Hadena (s.str.(Montanohadena)) praetermissa Hacker,1996** (Noctuidae) *praetermissa* Hacker,1996 04 25 46 65
- 489) **Hadena (s.str.(Montanohadena)) purpurea Hacker,1996** (Noctuidae) *purpurea* Hacker,1996 04 25 36 38 46 51 58 65 69
- 490) **Hadena (s.str.(Montanohadena)) virescens Hacker,1996** (Noctuidae) *virescens* Hacker,1996 04 06 24 25 30 33 36 50 58 60 65
- 491) **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) *confusa* Hufnagel,1766; *conspecta* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 492) **Hadena (s.str.(Zeteolyga)) pseudodealbata Hacker,1988** (Noctuidae) *pseudodealbata* Hacker,1988 04 08 25 28 36 61 69 75
- 493) **Hadula (Calocestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* Wagner,1930. 01 04 05 06 18 25 42 49 50 51 58 66 69
- 494) **Hadula (Calocestra (Hadufurca)) colletti (Schneider,1876)** (Noctuidae) *colletti* Schneider,1876 04 08 25 58 65 75
- 495) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 496) **Hadula (Calocestra (Hadupugnax)) latemarginata (Wiltshire,1976)** (Noctuidae) *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. 04 23 25 28 36 58 61 65 69
- 497) **Hadula (Calocestra (Hadupugnax)) pugnax (Hübner,[1824])** (Noctuidae) *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 03 04 06 18 24 25 30 32 42 51 58
- 498) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 499) **Haemerosia renalis (Hübner,[1813])** (Noctuidae) *renalis* Hübner,[1813] 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 500) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 501) **Hecatera cappa (Hübner,[1809])** (Noctuidae) *cappa* Hübner,[1809] 05 06 16 17 18 25 36 40 42 51 58 62 65
- 502) **Hecatera rhodocharis (Brandt,1938)** (Noctuidae) *rhodocharis* Brandt,1938 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 503) **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) *dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 504) **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 505) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor* Alpheraky,1889 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 506) **Heliothis maritima Graslin,1855** (Noctuidae) *maritima* Graslin,1855 06 25 36 50
- 507) **Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. 01 04 07 10 18 20 25 33 35 42 46 47 50 51 58
- 508) **Heliothis peltigera (Denis & Schiffermüller),1775** (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpea* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 509) **Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 510) **Heptapotamia eustratii Alpheraky,1882** (Noctuidae) *eustratii* Alpheraky,1882 25 58 65
- 511) **Heterophya dumetorum (Geyer,1834)** (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 512) **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 513) **Hoplodrina blanda ([Denis & Schiffermüller],1775)** (Noctuidae) *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813]. 08 16 25 37 53
- 514) **Hoplodrina levis (Staudinger,1888)** (Noctuidae) *levis* Staudinger,1888 01 06 25 30 36 51 58 65
- 515) **Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) *pfeifferi* Boursin,1932. 08 13 18 23 25 30 32 36 42 50 51 58 62 65
- 516) **Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae) *superstes* Ochsenheimer,1816 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 517) **Hypena munitalis Mann,1861** (Noctuidae) *munitalis* Mann,1861. 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 518) **Hypena obesalis Treitschke,1829** (Noctuidae) *obesalis* Treitschke,1829 06 25 30 36 37 75
- 519) **Hypena proboscidalis (Linnaeus,1758)** (Noctuidae) *proboscidalis* Linnaeus,1758 06 08 14 16 25 34 52 53 61
- 520) **Lacanobia (Dianobia) histrio (Goeze,1781)** (Noctuidae) *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. 04 08 25 28 36 53 75
- 521) **Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]. 01 05 06 08 18 25 32 36 39 50 65 66 75
- 522) **Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937 05 06 07 16 18 25 28 38 39 43 44 50 58 61 65 75

- 523) *Lacanobia* (s.str.) *w-latinum* (Hufnagel,1766) (Noctuidae) *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 524) *Lampra fimbriata* (Schreber,1759) (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 525) *Lamprosticta culta* (Denis & Schiffermüller,1775) (Noctuidae) *#culta* [Denis & Schiffermüller],1775 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66
- 526) *Lasionycta draudti* (Wagner,1936) (Noctuidae) *draudti* Wagner,1936 04 12 24 25 30 36 60 65 75 76
- 527) *Lasionycta proxima* (Hübner,1809) (Noctuidae) *proxima* Hübner,1809; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976. 01 06 08 25 36 60
- 528) *Leucania comma* (Linnaeus,1761) (Noctuidae) *comma* Linnaeus,1761; *turbida* Hübner,1803; *congener* Hübner,1817; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909. 06 08 18 25 28 36 60 75
- 529) *Leucania loreyi* (Duponchel,1827) (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 530) *Lygephila craccae* (Fabricius,1787) (Noctuidae) *#craccae* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *craccae* Fabricius,1787; *#craccae* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 531) *Lygephila ludicra* (Hübner,1790) (Noctuidae) *ludicra* Hübner,1790 04 05 12 13 25 65 69
- 532) *Lygephila lusoria* (Linnaeus,1758) (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 533) *Lygephila lusoria amasina* (Staudinger,1879) (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 534) *Lygephila pastinum* (Treitschke,1826) (Noctuidae) *pastinum* Treitschke,1826; *dilutior* Staudinger,1892. 04 06 25 29 36
- 535) *Lygephila subpicata* Wiltshire,1971 (Noctuidae) *subpicata* Wiltshire,1971 04 12 24 25 30 36 38 58 69
- 536) *Lygephila viciae* (Hübner,1822) (Noctuidae) *viciae* Hübner,1822; *violaceogrisea* Draudt,1950 04 25
- 537) *Margelana flavidior* Wagner,1831 (Noctuidae) *flavidior* Wagner,1831 12 25 36 38 42 49 50 58 60 64 65 70
- 538) *Megalodes eximia* (Freyer,1845) (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 539) *Mesapamea* (Resapamea) *hedeni* (Graeser,1888) (Noctuidae) *hedeni* Graeser,1888; *subornata* Staudinger,1896. 04 25
- 540) *Mesapamea* (s.str.) *vaskeni* Varga,1979 (Noctuidae) *vaskeni* Varga,1979 04 08 25 36 75
- 541) *Mesogona acetosellae* (Goeze,1781) (Noctuidae) *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbodti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982 05 06 14 18 24 25 38 58 65
- 542) *Mesoligia literosa* (Haworth,1809) (Noctuidae) *literosa* Haworth,1809; *erraticula* Hübner,1813; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 543) *Metoponrhis albirena* (Christoph,1887) (Noctuidae) *albirena* Christoph,1887 05 08 24 25 58
- 544) *Metoponrhis adusta* (Esper,1790) (Noctuidae) *adusta* Esper,1790; *duplex* Haworth,1809; *valida* Hübner,1813; *vultarina* Freyer,1832; *chardinyi* Duponchel,1838; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,1850; *vicina* Alpheraky,1882; *grisea* Standfuss,1893; *aterrima* Costantin,1916; *carpathica* Kaucki 04 06 08 18 24 25 28 50 53 75
- 545) *Mythimna* (Aletia) *conigera* (Denis & Schiffermüller,1775) (Noctuidae) *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,1788. 04 25 36 37 45 50 58 60 61 75
- 546) *Mythimna* (Aletia) *l-album* (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 547) *Mythimna* (Aletia) *sassanidica* (Hacker,1986) (Noctuidae) *sassanidica* Hacker,1986 04 06 08 24 25 30 36 46 58 60 65
- 548) *Mythimna* (Aletia) *vitellina* (Hübner,1808) (Noctuidae) *vitellina* Hübner,1808; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *grisea* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 549) *Nezomyia obtusa* Varga & Ronkay,1991 (Noctuidae) *obtusa* Varga & Ronkay,1991 04 25 30 50 58 65
- 550) *Nezomyia pusilla* (Püngeler,1900) (Noctuidae) *pusilla* Püngeler,1900 25 30 65
- 551) *Noctua* (Latanocnua) *orbona* (Hufnagel,1766) (Noctuidae) *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 552) *Nola ronkayorum* Beshkov,2006 (Noctuidae) *ronkayorum* Beshkov,2006 07 25
- 553) *Nycteola asiatica* (Krulikovskiy,1904) (Noctuidae) *asiatica* Krulikovskiy,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 554) *Nycteola siculana* (Fuchs,1899) (Noctuidae) *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obratsov,1954. 25 46 50 65
- 555) *Ochropleura plecta* (Linnaeus,1761) (Noctuidae) *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomaculata* Graeser,1889; *unupplecta* Bryk,1942. 08 09 25 28 30 33 36 55 58 61 65
- 556) *Odice arcuina* (Hübner,1790) (Noctuidae) *arcuina* Hübner,1790; *inamoena* Hübner,1803. 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 557) *Odice kuelekana* (Staudinger,1871) (Noctuidae) *kuelekana* Staudinger,1871 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 558) *Odice suava* (Hübner,1813) (Noctuidae) *suava* Hübner,1813. 03 06 08 11 14 17 18 19 25 39 42 50 51 65 66
- 559) *Oligia latruncula* (Denis & Schiffermüller,1775) (Noctuidae) *latruncula* [Denis & Schiffermüller],1775 06 17 25 32 33 35 39 41 42 46 50 66
- 560) *Omphalophana antirrhini* (Hübner,1803) (Noctuidae) *antirrhini* Hübner,1803 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 561) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) *durnalayana* Osthelder,1933 04 12 25 30 36 46 49 62
- 562) *Oncocnemis confusa* (Freyer,1839) (Noctuidae) *confusa* Freyer,1839. 04 25 30 36 46 50 58 62 65
- 563) *Oncocnemis nigricula* (Eversmann,1847) (Noctuidae) *nigricula* Eversmann,1847 25 62 75 76
- 564) *Ophiura lunaris* (Goeze,1781) (Noctuidae) *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 565) *Opigena huberi* Hacker,1999 (Noctuidae) *huberi* Hacker,1999 04 25 30 42 49 60
- 566) *Opigena polygona* (Fabricius,1787) (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,1788; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 567) *Oria muscosa* (Hübner,1808) (Noctuidae) *muscosa* Hübner,1808; *laeta* Alpheraky,1889. 05 06 07 15 18 19 22 25 32 33 38 42 45 46 50 51 58 66
- 568) *Panchrysia aurea* (Hübner,1803) (Noctuidae) *deaurata* Esper,1787; *nec* Goeze,1981; *chryson* Borkhausen,1792; *nec* Esper,1789; *aurea* Hübner,1803. 08 25 30 58
- 569) *Paracolax tristalis* (Fabricius,1794) (Noctuidae) *tristalis* Fabricius,1794; *derivalis* Hübner,1796. 05 08 14 16 25 34 41 50 52 53
- 570) *Parastichtis corticea* (Esper,1800) (Noctuidae) *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781; *nec* Hufn.,1766; *corticea* Esper,1800; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. 01 06 10 17 25 30 35 36 49 50 51 58 60 62 66 75

- 571) **Parexarnis taurica** (Staudinger,1879) (Noctuidae) *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. 23 24 25 33 36 38 42 44 50 51 65 66
- 572) **Pechipogo strigilata** (Linnaeus,1758) (Noctuidae) *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809. 06 16 25
- 573) **Perigrapha (s.str.) i-cinctum** ([Denis & Schiffermüller],1775) (Noctuidae) *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Micheli,1966. 02 06 07 15 22 25 30 32 46 51 58 62 73
- 574) **Periphanes delphinii** (Linnaeus,1758) (Noctuidae) *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 575) **Periphanes victorina** (Sodoffsky,1849) (Noctuidae) *victorina* Sodoffsky,1849 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 576) **Phlogophora meticulosa** (Linnaeus,1758) (Noctuidae) *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 05 06 07 14 16 18 24 25 33 34 38 46 50 51 56 58 65
- 577) **Phlogophora scita** (Hübner,1790) (Noctuidae) *scita* Hübner,1790 04 08 12 16 25 30 43 45 53 60 61 75
- 578) **Photodes extrema** (Hübner,[1809]) (Noctuidae) *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982. 25
- 579) **Photodes fluxa** (Hübner,[1809]) (Noctuidae) *fluxa* Hübner,[1809] 04 08 25 30 36
- 580) **Phytometra viridaria** (Clerck,1759) (Noctuidae) *#viridaria* Clerck,1759 05 07 08 11 16 22 25 32 33 39 42 50 54 58 59 60
- 581) **Plusidia cheiranthi** (Tauscher,1809) (Noctuidae) *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* Warren,1913. 12 13 25 30 65 69
- 582) **Polia bombycina** (Hufnagel,1766) (Noctuidae) *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. 04 08 24 25 28 29 30 36 50 53 58 75
- 583) **Polia sagittigera** (Hufnagel,1766) (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. 01 06 16 18 25 33 42 46 49 50 51 60 61 65
- 584) **Polia serratilinea** Ochseneimer,1816 (Noctuidae) *serratilinea* Ochseneimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974. 04 21 24 25 38 58 60
- 585) **Powellinia carthalina** (Christoph,1893) (Noctuidae) *carthalina* Christoph,1893 04 06 18 25 28 36 51 60 65
- 586) **Protexarnis opioleuca** (Staudinger,1881) (Noctuidae) *opioleuca* Staudinger,1881; *inermis* Corti & Draudt,1933. 04 12 25 36 58 69
- 587) **Pseudohadena (s.str.) laciniosa** (Christoph,1887) (Noctuidae) *laciniosa* Christoph,1887 07 23 25 30 36 38 42 44
- 588) **Pyrrhia treitschkii** (Frivaldsky,1835) (Noctuidae) *treitschkii* Frivaldsky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 589) **Pyrrhia umbra** (Hufnagel,1766) (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 590) **Rhyacia (Epipsilia) latens** (Hübner,[1809]) (Noctuidae) *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929. 01 08 14 25 30 38 42 51 65
- 591) **Rhyacia (s.str.) arenacea** (Hampson,1907) (Noctuidae) *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929. 06 18 25 32 33 38 50 51 58 66
- 592) **Rhyacia (s.str.) helvetina** (Boisduval,1833) (Noctuidae) *helvetina* Boisduval,1833; *livia* Freyer,1836 04 25 27 33 36 38 42 51 58 65 68
- 593) **Rhyacia (s.str.) lucipeta** ([Denis & Schiffermüller],1775) (Noctuidae) *lucipeta* [Denis & Schiffermüller],1775. 06 08 25 36 38 46 49 50 58 60 64 65 66
- 594) **Rhyacia (s.str.) nyctimerides** (O.Bang-Haas,1922) (Noctuidae) *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschko,1951; *alagesica* Boursin,1962 04 12 25 38 42 46 50 51 58 65 66
- 595) **Schinia purpurascens** (Tauscher,1809) (Noctuidae) *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 05 25 29 36 75
- 596) **Sideridis (Luteohadena) luteago** ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 597) **Sideridis (s.str.) lampra** (Schawerda,1913) (Noctuidae) *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975 04 12 25 30 49 75
- 598) **Sideridis (s.str.) turbida** (Esper,[1790]) (Noctuidae) *turbida* Esper,[1790]; *albicolon* Hübner,[1813] 04 18 24 25 36 42 50 58 60 65 75
- 599) **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 600) **Spaelotis demavendi** (F.Wagner,1937) (Noctuidae) *demavendi* F.Wagner,1937 04 25 36 38 68 69
- 601) **Spaelotis ravida** ([Denis & Schiffermüller],1775) (Noctuidae) *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 602) **Spaelotis senna** (Freyer,1829) (Noctuidae) *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 04 06 18 19 24 25 30 33 42 50 51 58 66
- 603) **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebghana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 604) **Standfussiana lucerneae** (Linnaeus,1758) (Noctuidae) *lucerneae* Linnaeus,1758 06 18 25 30 44 46 58
- 605) **Standfussiana nictymera** (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 606) **Teinoptera oliva** (Staudinger,[1895]) (Noctuidae) *oliva* Staudinger,[1895] 01 18 24 25 32 37 42 44 50 51 58 60 70
- 607) **Teinoptera olivina** (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852] 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 608) **Tholera cespitis** (Goeze,1781) (Noctuidae) *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896. 06 25 65 66
- 609) **Tholera decimalis** (Poda,1761) (Noctuidae) *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927. 06 14 25 49 65
- 610) **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 611) **Victrix (s.str.) karsiana** Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879 04 06 08 25 36 44 75
- 612) **Xanthia (Tiliacea) cypreago** (Hampson,1906) (Noctuidae) *cypreago* Hampson,1906 24 25 46
- 613) **Xanthia icteritia** (Hufnagel,1766) (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. 06 14 25 36 62 66 75
- 614) **Xestia (Megasema) ashworthii** (Doubleday,1855) (Noctuidae) *ashworthii* Doubleday,1855 04 08 18 25 36 75
- 615) **Xestia (s.str.) ochreago** (Hübner,[1809]) (Noctuidae) *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. 01 04 08 25 36 58 60 75

- 616) **Xestia (s.str.) pallidago (Staudinger,1900)** (Noctuidae) *pallidago* Staudinger,1900 01 04 08 12 25 36 58 60 75
- 617) **Xylena vetusta (Hübner,[1813])** (Noctuidae) *vetusta* Hübner,[1813] 06 12 25 42 50 66
- 618) **Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcasica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 619) **Zekelita (Rhynchodontodes) revolutalis Zeller,1852** (Noctuidae) *revolutalis* Zeller,1852; *angulalis* Mabille,1880. 25 42
- 620) **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 621) **Drymonia velitaris (Hufnagel,1766)** (Notodontidae) *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789 12 13 16 25 29 30 36 37 46 53 55 60 61 65
- 622) **Furcula bifida (Brahm,1787)** (Notodontidae) *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *hype* Seifers,1933. 06 10 13 14 16 22 25 29 36 43 53 60
- 623) **Phalera bucephala (Linnaeus,1758)** (Notodontidae) *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65
- 624) **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 625) **Stauropus fagi (Linnaeus,1758)** (Notodontidae) *fagi* Linnaeus,1758 08 12 13 14 25 34 37 53 65
- 626) **Depressaria erzurumella Lvovsky,1996** (Oecophoridae) *erzurumella* Lvovsky,1996 25
- 627) **Archon apollinus (Herbst,1798)** (Papilionidae) *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 628) **Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 629) **Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) *polidamas* De Prunner,1787 nec Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 630) **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 631) **Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 632) **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 633) **Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 634) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 635) **Anthocharis damone Boisduval,1836** (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 636) **Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 637) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi* Linnaeus,1758; *nigronevovosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 638) **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 639) **Colias (Eriocolias) thisoa Ménétériés,1832** (Pieridae) *thisoa* Ménétériés,1832; *helenae* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989. 04 08 25 30 36 53 65 69 73 75 76
- 640) **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 641) **Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) *chlorocoma* Christoph,1888 04 13 24 25 29 30 36 38 51 65 69 76
- 642) **Colias (s.str.) hyale (Linnaeus,1758)** (Pieridae) *hyale* Linnaeus,1758; *#amdensis* Verity,[1911]. 08 25 36 75
- 643) **Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 644) **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 645) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 646) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 647) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 648) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#duponcheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 649) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 70 75 76 81
- 650) **Pieris (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) *bowdeni* Eitschberger,[1984] 08 14 24 25 29 53 65 69 75 76

- 651) *Pieris (Artogeia) bryoniae* (Hübner,[1804]) (Pieridae) *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997). 08 14 16 18 24 25 29 30 37 53 61
- 652) *Pieris (Artogeia) ergane* (Geyer,[1828]) (Pieridae) *ergane* Geyer,[1828]; *narceae* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 653) *Pieris (Artogeia) krueperi* Staudinger,1860 (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 654) *Pieris (Artogeia) mannii* (Mayer,1851) (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 655) *Pieris (Artogeia) pseudorapae* Verity,1908 (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 656) *Pieris (Artogeia) rapae* (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 657) *Pieris (s.str.) brassicae* (Linnaeus,1758) (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 658) *Pontia callidice* (Hübner,[1800]) (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 659) *Pontia chloridice* (Hübner,[1813]) (Pieridae) *rossiae* Esper,[1784] *nec rossiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidge* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 660) *Pontia edusa* (Fabricius,1777) (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 661) *Zegris eupheme* (Esper,[1804]) (Pieridae) *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 662) *Canephora caucasica* (A.Bang-Haas,1912) (Psychidae) *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhanchikov,1956. 04 08 25 30 36 58 60 65 73
- 663) *Megalophanes viciella* ([Denis & Schiffermüller],1775) (Psychidae) *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977. 01 06 14 22 25 33 34 36 42 45
- 664) *Capperia washbourni* Adamczewski,1951 (Pterophoridae) *washbourni* Adamczewski,1951 05 06 23 24 25 29 32 33 42 51
- 665) *Stenoptilia mannii* (Zeller,1852) (Pterophoridae) *mannii* Zeller,1852; *megalochroa* Meyrick,1930. 05 16 25 42 46 65
- 666) *Wheeleria sobeidae* (Arenberger,1981) (Pterophoridae) *sobeidae* Arenberger,1981 25 29 65
- 667) *Asalebria (Exophora) exasperata* (Staudinger,1879) (Pyralidae) *exasperata* Staudinger,1879 01 05 06 08 21 25 30 32 38 42 46 47 58 65 76
- 668) *Catastia marginea* ([Denis & Schiffermüller],1775) (Pyralidae) *marginea* [Denis & Schiffermüller],1775. 25 33 46 61
- 669) *Catoptria lithargyrella* (Hübner,1796) (Pyralidae) *lithargyrella* Hübner,1796 12 16 18 25 76
- 670) *Chilo luteellus* (Motschulsky,1866) (Pyralidae) *lutellus* Motschulsky,1860 *nec* [Denis & Schiff],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 671) *Crambus perlellus* (Scopoli,1763) (Pyralidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 672) *Ecpyrrhorrhoe rubiginalis* (Hübner,1796) (Pyralidae) *rubiginalis* Hübner,1796 05 16 25 31 35 39 42 53
- 673) *Ephelis cruentalis* (Geyer,[1832]) (Pyralidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 674) *Epidauria strigosa* (Staudinger,1879) (Pyralidae) *strigosa* Staudinger,1879 05 25 33 42 46 65 71 76
- 675) *Isauria dilucidella* (Duponchel,1836) (Pyralidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *lederi* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *griseus* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 676) *Psorosa dahliaella* (Treitschke,1832) (Pyralidae) *dahliaella* Treitschke,1832; *bivitella* Duponchel,1836. 25 46
- 677) *Pyralis perversalis* Herrich-Schäffer,1849 (Pyralidae) *perversalis* Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996. 25 76
- 678) *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyralidae) *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 679) *Sitochroa verticalis* (Linnaeus,1758) (Pyralidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829 01 05 06 16 25 32 42 46 65 71
- 680) *Synaphe bombycalis* ([Denis & Schiffermüller],1775) (Pyralidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. 04 06 25 27 31 38 44 50 58 65 71 76
- 681) *Synaphe moldavica* (Esper,[1789]) (Pyralidae) *moldavica* Esper,[1789]; *schmidtii* Hartig,1941. 05 06 07 16 17 22 25 31 32 34 35 38 42 45 46 48 58 71
- 682) *Tretopteryx pertusalis* (Geyer,[1832]) (Pyralidae) *pertusalis* Geyer,[1832] 05 06 25 31 32 33 35 46 65
- 683) *Saturnia (Heraea) cephalariae* Romanoff,1885 (Saturniidae) *cephalariae* Romanoff,1885 25 29 30 36 65 69 76
- 684) *Saturnia (Heraea) pavonia* (Linnaeus,1758) (Saturniidae) *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783 05 16 25 34
- 685) *Saturnia (Neoris) naessigi* (De Freina,1992) (Saturniidae) *naessigi* De Freina,1992 24 25 30 58 62
- 686) *Saturnia (Perisomena) caecigena* (Kupido,1825) (Saturniidae) *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parvicoellata* Friedel,1968 04 05 06 07 12 16 22 25 33 35 42 60 71
- 687) *Arethusana arethusia* ([Denis & Schiffermüller],1775) (Satyridae) *arethusia* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 688) *Brintesia circe* (Fabricius,1775) (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabaliae* Gaillard,1959; *maladettae* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 689) *Chazara (Neochazara) anthe* (Hoffmannsegg,1804) (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81

- 690) **Chazara (s.str.) bischoffi** (Herrich-Schäffer,[1846]) (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 691) **Chazara (s.str.) briseis** (Linnaeus,1764) (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 692) **Coenonympha arcania** (Linnaeus,1761) (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 693) **Coenonympha glycerion** (Borkhausen,1788) (Satyridae) *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 694) **Coenonympha leander** (Fabricius,1787) (Satyridae) *leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 695) **Coenonympha pamphilus** (Linnaeus,1758) (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 696) **Coenonympha saadi** (Kollar,[1849]) (Satyridae) *saadi* Kollar,[1849]; *iphias* Eversmann,1851. 02 12 13 21 23 25 27 30 44 46 47 56 58 62 63 65 72 73
- 697) **Coenonympha symphita** Lederer,1870 (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 04 08 25 36 75 76
- 698) **Erebia aethiops** (Esper,[1777]) (Satyridae) *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. 05 08 14 18 25 29 36 37 53 55 57 60 61 74 75 76 77
- 699) **Erebia graucasica** Jachontov,1909 (Satyridae) *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotschetova,1984. 08 25 29 53 60 69 75
- 700) **Erebia hewitsonii** Lederer,1864 (Satyridae) *hewitsonii* Lederer,1864 08 25 29 53 61 75
- 701) **Erebia medusa** ([Denis & Schiffermüller],1775) (Satyridae) *medusa* [Denis & Schiffermüller],1775 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 702) **Erebia melancholica** Herrich-Schäffer,[1846] (Satyridae) *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937. 08 25 29 53 61 76
- 703) **Erebia ottomana** Herrich-Schäffer,[1847] (Satyridae) *ottomana* Herrich-Schäffer,[1847] 16 25 29 37 52 61
- 704) **Esperarge (s.str.) clymene** (Fabricius,1787) (Satyridae) *clymene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 705) **Hipparchia (Neohipparchia) fatua** (Freyer,1844) (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 706) **Hipparchia (Neohipparchia) parisatis** (Kollar,[1849]) (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 707) **Hipparchia (Neohipparchia) statilinus** (Hufnagel,1766) (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 708) **Hipparchia (Parahipparchia) pellucida** (Stauder,1924) (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 709) **Hipparchia (s.str.) syriaca** (Staudinger,1871) (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 710) **Hyponephele (s.str. (Turaninephele)) urartua** De Freina & Aussem,[1987] (Satyridae) *urartua* De Freina & Aussem,[1987] 25 30 73
- 711) **Hyponephele (s.str.) lupina** (Costa,[1836]) (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 712) **Hyponephele (s.str.) lycaon** (Rottentburg,1775) (Satyridae) *lycaon* Rottentburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 713) **Hyponephele (s.str.) zuvandica** Samodurov & Koroljev,1996 (Satyridae) *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 714) **Kirinia (Melike) roxelana** (Cramer,[1777]) (Satyridae) *roxelana* Cramer,[1777] 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 715) **Lasiommata maera** (Linnaeus,1758) (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 716) **Lasiommata megera** (Linnaeus,1767) (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 717) **Lasiommata petropolitana** (Fabricius,1787) (Satyridae) *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929. 05 06 08 14 18 24 25 29 37 60 75 81
- 718) **Maniola (s.str.) jurtina** (Linnaeus,1758) (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 719) **Melanargia (Parce) russiae** (Esper,[1784]) (Satyridae) *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]. 04 13 25 30 36 65 69 75 76
- 720) **Melanargia (Turcargia) larissa** (Geyer,[1828]) (Satyridae) *larissa* Geyer,[1828]. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 721) **Melanargia (Turcargia) syriaca** (Oberthür,1894) (Satyridae) *syriaca* Oberthür,1894 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80
- 722) **Melanargia (s.str.) galathea** (Linnaeus,1758) (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81

- 723) **Pararge aegeria** (Linnaeus,1758) (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 724) **Proterebia afra** (Fabricius,1787) (Satyridae) *afra* Fabricius,1787 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 725) **Pseudochazara** (Achazara) **anthelea** (Hübner,[1824]) (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 726) **Pseudochazara** (s.str.) **beroe** (Freyer,[1843]) (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 727) **Pseudochazara** (s.str.) **geyeri** (Herrich-Schäffer,[1846]) (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 728) **Pseudochazara** (s.str.) **mamurra** (Herrich-Schäffer,[1846]) (Satyridae) *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 729) **Pseudochazara** (s.str.) **mniszechii** (Herrich-Schäffer,[1851]) (Satyridae) *mniszechii* Herrich-Schäffer,[1851] 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 730) **Pseudochazara** (s.str.) **pelopea** (Klug,1832) (Satyridae) *pelopea* Klug,1832 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 731) **Satyrus** (s.str.) **amasinus** Staudinger,1861 (Satyridae) *bryce* Herrich-Schäffer,[1852] *nec* Hübner,[1800]; *amasinus* Staudinger,1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 732) **Satyrus** (s.str.(s.str.)) **favonius** Staudinger,[1892] (Satyridae) *favonius* Staudinger,[1892] 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 733) **Satyrus** (s.str.(s.str.)) **parthicus** Lederer,1869 (Satyridae) *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957 13 24 25 29 30 65 69 76
- 734) **Bembecia gegamica** Gorbunov,1991 (Sesiidae) *gegamica* Gorbunov,1991 25
- 735) **Bembecia pontica** (Staudinger,1891) (Sesiidae) *pontica* Staudinger,1891 05 25
- 736) **Bembecia sanguinolenta** (Lederer,1853) (Sesiidae) *sanguinolenta* Lederer,1853 01 25 33 42 47 50 65
- 737) **Bembecia scopigera** (Scopoli,1763) (Sesiidae) *scopigera* Scopoli,1763; *communis* Le Cerf,1920 06 16 25 36 59
- 738) **Bembecia syzjovi** Gorbunov,1990 (Sesiidae) *syzjovi* Gorbunov,1990 25 50
- 739) **Chamaesphesia anatolica** Schwingenschuss,1938 (Sesiidae) *anatolica* Schwingenschuss,1938 04 06 25 42
- 740) **Chamaesphesia diabarensis** Gorbunov,1987 (Sesiidae) *diabarensis* Gorbunov,1987 25 30
- 741) **Chamaesphesia gorbunovi** K.Spatenka,1992 (Sesiidae) *gorbunovi* K.Spatenka,1992 25 36 42
- 742) **Chamaesphesia thracica** Z.Lastuvka,1983 (Sesiidae) *thracica* Z.Lastuvka,1983 05 06 17 25 39 46
- 743) **Chamaesphesia turbida** Le Cerf,1937 (Sesiidae) *turbida* Le Cerf,1937 04 25
- 744) **Diphasphesia kopica** Gorbunov & Spatenka,2001 (Sesiidae) *kopica* Gorbunov & Spatenka,2001 25
- 745) **Paranthrene diaphana** Dalla-Torre & Strand,1925 (Sesiidae) *diaphana* Dalla-Torre & Strand,1925 25 46 65
- 746) **Pyropteron triannuliformis** (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *lilijanae* Tosevski,1986; *pungeleri* K.Spatenka,1987 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 747) **Sesia pimplaeformis** Oberthür,1872 (Sesiidae) *pimplaeformis* Oberthür,1872 14 25 31 44
- 748) **Synanthedon myopaeformis** (Borkhausen,1789) (Sesiidae) *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861. 05 06 16 25 31 32 34 35 42 44 50
- 749) **Synanthedon vespiformis** (Linnaeus,1761) (Sesiidae) *vespiformis* Linnaeus,1761; *asiliformis* Rottentburg,1775; *oestriformis* Rottentburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 01 05 06 07 08 15 16 22 25 33 39 42 60 65
- 750) **Tinthia brosiiformis** (Hübner,[1813]) (Sesiidae) *brosiiformis* Hübner,[1813] 01 04 05 08 16 25 30 33 38 42 46
- 751) **Deilephila suellus** Staudinger,1878 (Sphingidae) *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. 01 04 05 06 07 12 13 19 25 30 32 42 50 58 60 65 66 71
- 752) **Hyles conspicua** (Rothschild & Jordan,1903) (Sphingidae) *conspicua* Rothschild & Jordan,1903. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 753) **Hyles hippophaes** (Esper,[1789]) (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974. 06 19 23 25 30 36 44 46 50 62 65 71
- 754) **Hyles nicaea** (Prunner,1798) (Sphingidae) *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]. 06 19 25 30 36 50 58 60 65 76
- 755) **Laothoe populeti** (Bienert,[1870]) (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. 05 06 12 25 30 32 36 42 44 46 53 60 65 71
- 756) **Macroglossum stellatarum** (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. 01 05 06 09 10 11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
- 757) **Smerinthus kindermanni** Lederer,1852 (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917 06 22 23 25 30 42 46 58 60 63 65 76
- 758) **Sphinx ligustri** Linnaeus,1758 (Sphingidae) *ligustri* Linnaeus,1758; *spiraea* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 06 16 25 36 42 60
- 759) **Tethea or** ([Denis & Schiffermüller],1775) (Thyatiridae) *#or* [Denis & Schiffermüller],1775; *gammaeae* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911 14 24 25 36 46 55 60 61
- 760) **Aethes margaritifera** Falkovitsh,1963 (Tortricidae) *margaritifera* Falkovitsh,1963 25
- 761) **Archips podanus** (Scopoli,1763) (Tortricidae) *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903. 01 05 14 16 17 25 34 39 41 42 46 71 81
- 762) **Archips rosanus** (Linnaeus,1758) (Tortricidae) *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51
- 763) **Cydia pomonella** (Linnaeus,1758) (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 764) **Pelochrista arabescana** (Eversmann,1844) (Tortricidae) *arabescana* Eversmann,1844 25 69
- 765) **Spilonota ocellana** ([Denis & Schiffermüller],1775) (Tortricidae) *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifolia* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949 05 06 14 15 16 18 25 34 61 71 81
- 766) **Jordanita** (s.str.) **chloros** (Hübner,[1813]) (Zygaenidae) *chloros* Hübner,[1813]; *sepium* Boisduval,1834. 05 06 16 23 24 25 30 42 69
- 767) **Zygaena** (Agrumenia) **carniolica** (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77

- 768) *Zygaena (Agrumenia) olivieri* Boisduval,1828 (Zygaenidae) *olivieri* Boisduval,1828 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76
- 769) *Zygaena (Mesembrynus) brizae* (Esper,1800) (Zygaenidae) *brizae* Esper,1800 05 08 25 29 36 49 53 58 60 61 65 66
- 770) *Zygaena (Mesembrynus) cambysea* Lederer,1870 (Zygaenidae) *cambysea* Lederer,1870 04 05 13 25 30 58 62 65 73
- 771) *Zygaena (Mesembrynus) laeta* (Hübner,1790) (Zygaenidae) *laeta* Hübner,1790 05 06 11 13 16 25 38 42 46 58 66
- 772) *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 773) *Zygaena* (s.str.) *dorycnii* Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 774) *Zygaena* (s.str.) *filipendulae* (Linnaeus,1758) (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 775) *Zygaena* (s.str.) *loniceriae* (Scheven,1777) (Zygaenidae) *loniceriae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 776) *Zygaena* (s.str.) *loti* ([Denis & Schiffermüller],1775) (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76
- 777) *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829 08 13 18 24 25 28 38 46 49 58 60 71 76

Contents / İçindekiler: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Erzurum Province (North East Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org